


# CS 360

## Programming Languages


### Day 11 – Lexical Scope



**Scala**



Swift



JavaScript



**Dart**

# *What is scope?*

- The **scope** of a variable is the region of a computer program where that variable can be used. (You know this.)
- Why do we care? (You may not know this.)
- Scoping rules of a programming language tell us:
  - How to find the value of a variable (aka **name resolution**).
  - What to do when there are multiple variables with the same name in a program.
- Many scoping rules may seem "obvious" (because you've been programming for a while) but some are not.
  - And we'll also see how these rules are implemented under the hood of Racket (and other PLs).

## *Motivation for why you should care*

```
(define x 5)
(define (add1 x) (+ x 1))
(define y (add1 7))
```

- What is the scope of each **x**?  
How does Racket keep the two versions of **x** separate?

```
(define (make-adder y)
  (lambda (x) (+ x y)))

(define add3 (make-adder 3))
(define add4 (make-adder 4))

(define z (add3 10))
(define w (add4 20))
```

- How does Racket keep the two versions of **y** separate?
  - And how are they available after they "go out of scope?"

## *Very important concept*

- We know that the body of a function can refer to non-local variables.
  - i.e., variables that are not explicitly defined in that function or passed in as arguments.

- So how does a language know where to find values of non-local variables?

***Look where the function was defined  
(not where it was called)***

- There are lots of good reasons for this (will explain later).
- Critically important to understand for HW, exams, and competent programming now and in the future.
- This concept is called ***lexical scope*** (sometimes also called ***static scope***).

## Another example

```
-1- (define x 1)
-2- (define (f y) (+ x y))
-3- (define y 4)
-4- (define z (let ((x 2)) (f (+ x y))))
```

- Line 2 defines a function that, when called, evaluates body  $(+ \ x \ y)$  in environment where  $x$  maps to  $1$  and  $y$  maps to the argument passed in.
- Call on line 4:
  - Creates a *new* environment where  $x$  maps to  $2$ .
  - Looks up  $f$  to get the function defined on line 2.
  - Evaluates  $(+ \ x \ y)$  in the **new environment**, producing  $6$
  - Calls the function, which evaluates the body in the **old environment**, producing  $7$ .

# Closures

How can functions be evaluated in old environments?

- The language implementation keeps them around as necessary.

Can define the semantics of (first-class) functions as follows:

- A function value has **two parts**:
  - The **code** (obviously)
  - The **environment** that was current when the function was ***defined***.
- This value is called a ***function closure*** or just ***closure***.
- When a function  $f$  is called,  $f$ 's code is evaluated in the environment that was stored alongside that code when the closure was created.
  - (The environment is first extended with extra bindings for the values of  $f$ 's arguments.)

## Example

```
-1- (define x 1)
-2- (define (f y) (+ x y))
-3- (define y 4)
-4- (define z (let ((x 2)) (f (+ x y))))
```

- Line 2 creates a closure and binds the variable **f** to it:
  - Code: “take argument **y** and have body **(+ x y)**”
  - Environment: “**x** maps to **1**”
    - (Plus whatever else has been previously defined, including **f** itself in case of recursion)

## *Behind the scenes: environments and frames*

- You have probably drawn diagrams showing variables and their values.
  - Memory diagrams, recursion diagrams, environment diagrams, etc.
  - Most PLs implement these in similar ways during program execution.
- Today we're going to focus on how Racket does environment diagrams.



## *Behind the scenes: environments and frames*

- An environment is represented using **frames**.
- A **frame** is a table that maps variables to values.
  - Each frame (except the "global" or "top-level" frame) also has a pointer that always points another frame.
- When a variable is asked to be looked up in an environment, the lookup always starts in some frame.
  - If the variable is not found in that frame, the search continues wherever the frame points to (another frame).
  - If the search ever gets to a frame without a pointer to another frame (the global frame) and the variable still isn't found, we report an error that the variable is undefined.

```
-1- (define x 1)
-2- (define (f y) (+ x y))
-3- (define q (f 5))
-4- (define y 4)
-5- (define z (let ((x 2)) (f (+ x y))))
```


global

```
-1- (define x 1)
-2- (define (f y) (+ x y))
-3- (define q (f 5))
-4- (define y 4)
-5- (define z (let ((x 2)) (f (+ x y))))
```

global


x 1

```
-1- (define x 1)
-2- (define (f y) (+ x y))
-3- (define q (f 5))
-4- (define y 4)
-5- (define z (let ((x 2)) (f (+ x y))))
```



# Rules for frames and environments


- Rule 1:
  - Every function **definition** (including anonymous function definitions) creates a closure where
    - the code part of the closure points to the function's code
    - the environment part of the closure points to the frame that was current when the function was defined (the frame we are currently using to look up variables)




# *Rules for frames and environments*

- Rule 2:
  - Every function **call** creates a new frame consisting of the following:
    - the new frame's table has bindings for all of the function's arguments and their corresponding values
    - the new frame's pointer points to the same environment that f's environment pointer points to.

```
-1- (define x 1)
-2- (define (f y) (+ x y))
-3- (define q (f 5))
-4- (define y 4)
-5- (define z (let ((x 2)) (f (+ x y))))
```




```
-1- (define x 1)
-2- (define (f y) (+ x y))
-3- (define q (f 5))
-4- (define y 4)
-5- (define z (let ((x 2)) (f (+ x y))))
```





```
-1- (define x 1)
-2- (define (f y) (+ x y))
-3- (define q (f 5))
-4- (define y 4)
-5- (define z (let ((x 2)) (f (+ x y))))
```



# *So what?*

Now you know the rules. Next steps:

- (Silly) examples to demonstrate how the rule works for higher-order functions
- Why the other natural rule, *dynamic scope*, is a bad idea
- Powerful idioms with higher-order functions that use this rule
  - This lecture: Passing functions to functions like **filter**
  - Next lecture: Several more idioms

## *Example: Returning a function*

- Trust the rules:
  - Evaluating line 2 binds `f` to a closure.
  - Evaluating line 3 binds `g` to a closure as well.
    - New frame is created for the call to `f`.
  - Evaluating line 4 binds `z` to a number.
    - New frame is created for the call to `g`.

```
1  (define x 1)
2  (define (f y) (lambda (z) (+ x y z)))
3  (define g (f 4))
4  (define z (g 6))
```


```
1 (define x 1)
2 (define (f y) (lambda (z) (+ x y z)))
3 (define g (f 4))
4 (define z (g 6))
```

global


```
1 (define x 1)
2 (define (f y) (lambda (z) (+ x y z)))
3 (define g (f 4))
4 (define z (g 6))
```

<u>global</u>	
x	1
f	


args: y  
code: (lambda (z) ...)




```
1 (define x 1)
2 (define (f y) (lambda (z) (+ x y z)))
3 (define g (f 4))
4 (define z (g 6))
```



```
1 (define x 1)
2 (define (f y) (lambda (z) (+ x y z)))
3 (define g (f 4))
4 (define z (g 6))
```




```
1 (define x 1)
2 (define (f y) (lambda (z) (+ x y z)))
3 (define g (f 4))
4 (define z (g 6))
```





```
1 (define x 1)
2 (define (f y) (lambda (z) (+ x y z)))
3 (define g (f 4))
4 (define z (g 6))
```



# *Rules for frames and environments*

- Rule 2a:
  - Every evaluation of a "let" expression creates a new frame as follows:
    - the new frame's table has bindings for all of the let expressions variables and their corresponding values
    - the new frame's pointer points to the frame where the let expression was defined

## *Example: Passing a function*


- Trust the rules:
  - Evaluating line 1 binds f to a closure.
  - Evaluating line 2 binds x to 4.
  - Evaluating line 3 binds h to a closure.
  - Evaluating line 4 binds z to a number.
    - First, calls f (creates new frame), then evaluates "let" (creates a new frame), then calls g (creates a new frame).

```
1  (define (f g) (let ((x 3)) (g 2)))
2  (define x 4)
3  (define (h y) (+ x y))
4  (define z (f h))
```


```
1 (define (f g) (let ((x 3)) (g 2)))
2 (define x 4)
3 (define (h y) (+ x y))
4 (define z (f h))
```

global


```
1 (define (f g) (let ((x 3)) (g 2)))
2 (define x 4)
3 (define (h y) (+ x y))
4 (define z (f h))
```




```
args: y
code: (let ((x...
```




```
1 (define (f g) (let ((x 3)) (g 2)))
2 (define x 4)
3 (define (h y) (+ x y))
4 (define z (f h))
```



```
1 (define (f g) (let ((x 3)) (g 2)))
2 (define x 4)
3 (define (h y) (+ x y))
4 (define z (f h))
```




```
1 (define (f g) (let ((x 3)) (g 2)))
2 (define x 4)
3 (define (h y) (+ x y))
4 (define z (f h))
```





```
1 (define (f g) (let ((x 3)) (g 2)))
2 (define x 4)
3 (define (h y) (+ x y))
4 (define z (f h))
```



```
1 (define (f g) (let ((x 3)) (g 2)))
2 (define x 4)
3 (define (h y) (+ x y))
4 (define z (f h))
```

